

APRIL 24, 2009

TK-2049 EPOXY WB

Product Information Statement for LEED[®] New Construction (NC) Version 2.2 Credit Documentation

TK-2049 EPOXY WB is a two-component epoxy/polyamide water-borne coating for concrete and metal. It can be used as a concrete floor or wall coating, or as a sealer or primer. TK-2049 EPOXY WB is available either clear or in a variety of colors, is resistant to abrasion, a variety of acids and chemicals, and is approved for use by the USDA.

TK Products certifies the following information for TK-2049 EPOXY WB:

Manufacturing Location

TK-2049 EPOXY WB is manufactured in Minnetonka, MN.

Recycled Content

TK-2049 EPOXY WB is manufactured with 6% of pre-consumer material recycled content from the normal recovery of raw material in the manufacturing process.

VOC Content

TK Products certifies that the VOC (volatile organic content) of TK-2049 EPOXY WB is 180g/l.

Based upon the above information, TK Products certifies that TK-2049 EPOXY WB may contribute to the following LEED NC v2.2 Credits:

- MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)
- MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured Regionally
- EQ Credit 4.2: Low –Emitting Material: Paint and Coating (referencing the South Coast Air Quality Management District (SCAQMD) Rule 1113, in effect on January 1, 2004)

Respectfully,



LEED Administrator
TK Products
Tel: 800-441-2129

LEED is a trade mark of the US Green Building Council