

March 31, 2020

TK-HYDROMAX® 2001 DAMPROOF COATING

Product Information Statement for LEED® v.4 Credit Documentation

TK-HYDROMAX® 2001 Synthetic Resin Foundation damp-proofing is a liquid, spray applied foundation coating designed to resist or prevent leakage of water in liquid form under hydrostatic pressure.

TK Products certifies the following information for TK-HYDROMAX® 2001 Damproof Coating:

MR Credit Building Product Disclosure and Optimization- Environmental Product Declarations

An Environmental Product Declaration (EPD) is not available for TK-HYDROMAX® 2001 Damproof Coating.

MR Credit Building Product Disclosure and Optimization- Sourcing of Raw Materials

Raw Material Source and Extraction Reporting is not available for TK-HYDROMAX® 2001 Damproof Coating. TK-HYDROMAX® 2001 Damproof Coating is manufactured in Minnetonka, MN.

TK-HYDROMAX® 2001 Damproof Coating is manufactured with 17% recycled/bio-based materials.

EQ Credit Low-Emitting Materials

TK-HYDROMAX® 2001 Damproof Coating has a VOC content of 582.2 g/l. It is compliant under the U.S. National AIM rule. TK-HYDROMAX® 2001 Damproof Coating does not meet the VOC requirements set forth by LADCO, OTC, CARB, and SCAQMD.

Emissions Test Reporting is not available for TK-HYDROMAX® 2001 Damproof Coating.



Respectfully,

LEED Administrator
TK Products
Tel: 800-441-2129

LEED is a trade mark of the US Green Building Council

ADVANCED CONCRETE COATING SOLUTIONS